



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

CINCINNATI, OHIO 45268

Office of Ground Water and Drinking Water
Technical Support Center

July 30, 2007

Anatek Labs, Inc.
1282 Alturas Drive
Moscow, ID 83843

Dear Mike Pearson,

Listed below are the methods for which you have received EPA approval to perform analyses, as part of the UCMR 2. This approval is based on the review of your laboratory's submitted application(s) for the listed method(s) and successful participation in a UCMR 2 proficiency testing (PT) study for the applicable method. The criteria used for the evaluation of your applications and PTs are given in the UCMR 2 Laboratory Approval Manual (v2.0).

LabID: ID00013

Method Parameters	Method	Approval Date
Nitrosamines	EPA 521	7/30/2007
Acetanilide Pesticide Parent Compounds	EPA 525.2	1/4/2007
Pesticides and Flame Retardants	EPA 527	7/30/2007
Explosives and Related Compounds	EPA 529	4/11/2007
Acetanilide Pesticide Degradation Products	EPA 535	1/4/2007

End of Method List

The information will also be forwarded to the UCMR 2 Webmaster for inclusion in the list of UCMR 2 approved laboratories. Your approval status will be maintained during the UCMR 2 by continuing to meet the criteria given in Section 11 of the UCMR 2 Laboratory Approval Manual (v2.0). Please be aware that you are only permitted to conduct UCMR 2 analyses using those methods for which you have EPA approval.

Should you wish to comment on any of these determinations, please write to:

UCMR 2 Laboratory Approval Coordinator
USEPA, Technical Support Center
26 W. Martin Luther King Drive (MS 140)
Cincinnati, OH 45268

Sincerely,

A handwritten signature in black ink, appearing to read "Daniel P. Hautman". The signature is fluid and cursive, with a long horizontal stroke at the end.

Daniel P. Hautman
UCMR Implementation Team Leader