

504 E Sprague Ave, Ste D Spokane, WA 99202 | (509) 838-3999 • 1282 Alturas Drive Moscow, ID 83843 | (208) 883-2839 4802 Tieton Drive, Yakima WA 98908 | (509) 225-9404 • 3019 GS Center Road, Wentachee WA 98801 | (509) 701-8362

a WA 98908 (509) 225-9404 • 3019 GS Center Road, Wentachee WA 98801 (509) 701-8362	State of Oregon	
	WA 98908 (509) 225-9404 • 3019 GS Center Road, Wentachee WA 98801 (509) 701-8362	

State of Oregon Drinking Water Chain of Custody Record

Anatek Log In #

fill in shaded areas below)

		/:::: ::: :	onadod drodo bolowy					
Water System:		Send Bill or Receipt To: Same as Water System	Send Bill or Receipt To: Same as Water System Info			Return Results By		
System ID#:			Name:			□ Phone □	□ Mail	
Address:			Address:			□ Fax [□ Email	
City: State: Zip:			City:	State:	Zip:	Rush Samples - Resu		
Phone:			Purchase Order #:	Purchase Order #:			Date:	
Fax:			Email:			Time:		
Sample Identification				Sample Composition				
Sampled At:		Sampled By:	Location	: Source	☐ Distributi	on Note : Composit	ed samples will	
Date Collected:		Time Collected:		e: Raw	☐ Treated	not be accepted for analyses.		
Entry Point or Source ID:				Inspection Checklist (Anatek Use Only)				
Source Name(s):		Pr	Preservative:			Sample Condition:		
Check Desired Analyses		Semivolatiles (525.2	2) NaSulfite	○ Yes ○ No	Received Intact?	Yes No		
☐ Phase II SOC (all 5 listed b	pelow) 🗆 VOC	(524.3)	Herbicides (515.4)	NaThiosulfate	○ Yes ○ No	Labels & Chains Agree	? Yes No	
☐ Semivolatiles (525.2)	IOC's		Carbamates (531.2)			Containers Sealed?	Yes No	
☐ Herbicides (515.4)	□ Nitrat	te	Pesticides (505)	NaThiosulfate	○ Yes ○ No	VOC Headspace?	Yes No	
☐ Carbamates (531.2)	☐ Pb/C	u	EDB (504.1)	NaThiosulfate	○ Yes ○ No	Temperature (°C)		
☐ Pesticdes (505)	☐ Full I	OC	Diquat (549.2)	NaThiosulfate	○ Yes ○ No			
☐ EDB (504.1)	□тос		Endothall (548.1)	NaThiosulfate	○ Yes ○ No	Date & Time:		
☐ Phase V SOC (all 3 listed b	below)	stos	Glyphosate (547)	NaThiosulfate	○ Yes ○ No			
☐ Diquat (549.2)	☐ Gross	s Alpha	THM's (524.3)	Maleic/Ascorbic Acid	○ Yes ○ No	Inspected By:		
☐ Endothall (548.1)	☐ Gross		HAA5 (SM6251B)	NH₄CI	○ Yes ○ No			
☐ Glyphosate (547)	☐ Radiu	um 226	OTHER:		Comments:			
☐ Disinfection Biproducts (2 b	pelow) □ Radiu	um 228	☐ PFAS					
☐ TTHM (524.3)	☐ Total	Radium (226 + 228)	☐ EPA 533 ☐ EPA 537.1					
☐ HAA5 (SM6251B)	☐ Urani	ium	□ DIOXIN					
Customer:	Date/Time	Received By:	Date/Time	Shipped By:	Date/Time	Received By:		
		,				•		