

# State of Idaho Drinking Water Certificate

## Organic Analysis

**Effective Dates: 11/1/24-10/31/25**

Anatek Laboratory  
1282 Alturas Drive  
Moscow, Id 83843  
EPA ID: ID00013

<u>List of Analytes</u>	<u>Status</u> <sup>1</sup>	<u>Methods</u>
<u>Volatiles</u>		
Dibromochloropropane (DBCP)	C	EPA 504.1
Ethylene Dibromide (EDB)	C	EPA 504.1
Total Trihalomethanes (TTHM's)	C	EPA 524.3
VOC's (Except Vinyl Chloride)**	C	EPA 524.3
Vinyl Chloride	C	EPA 524.3
<u>Pesticides</u>		
Alachlor	C	EPA 525.2
Atrazine	C	EPA 525.2
Chlordane	C	EPA 505
Endrin	C	EPA 505
Gamma – BHC (Lindane)	C	EPA 505
Heptachlor	C	EPA 505
Heptachlor Epoxide	C	EPA 505
Hexachlorobenzene	C	EPA 525.2
Hexachlorocyclopentadiene	C	EPA 525.2
Methoxychlor	C	EPA 505
Simazine	C	EPA 525.2
Toxaphene	C	EPA 505
<u>Herbicides</u>		
2,4-D	C	EPA 515.4
2,4,5-TP (Silvex)	C	EPA 515.4
Dalapon	C	EPA 515.4
Dinoseb	C	EPA 515.4
Pentachlorophenol	C	EPA 515.4
Picloram	C	EPA 515.4
Carbofuran	C	EPA 531.2
Oxamyl (Vydate)	C	EPA 531.2
Glyphosate	C	EPA 547
<u>Miscellaneous</u>		
Adipates	C	EPA 525.2
Phthalates	C	EPA 525.2
Polynuclear Aromatic Hydrocarbons	C	EPA 525.2
Polychlorinated Biphenyls (PCB Screen)	C	EPA 505
Diquat	C	EPA 549.2
Endothall	C	EPA 548.1
Haloacetic Acids (HAA5)	C	SM 6251B

1) C = Certified, N = Not Certified, P = Provisionally Certified, \* = Certification Not Requested

\*\*Chloroethane and 2,2-Dichloropropane included with regulated VOCs



Christopher Ball, Ph.D., HCLD (ABB)  
Certification Authority for the State of Idaho



IDAHO DEPARTMENT OF  
HEALTH & WELFARE

Idaho Bureau of Laboratories - 2220 Old Penitentiary Road - Boise, Idaho 83712-8299

[healthandwelfare.idaho.gov](http://healthandwelfare.idaho.gov) 208-334-2235

# State of Idaho Drinking Water Certificate


## Organic Analysis

**Effective Dates: 11/1/24-10/31/25**

Anatek Laboratory  
1282 Alturas Drive  
Moscow, Id 83843  
EPA ID: ID00013

<u>List of Analytes</u>	<u>Status</u> <sup>1</sup>	<u>Methods</u>
Perfluorooctanoic acid (PFOA)	C	EPA 533
Perfluorooctanesulfonic acid (PFOS)	C	EPA 533
Perfluorohexanesulfonic acid (PFHxS)	C	EPA 533
Perfluorononanoic acid (PFNA)	C	EPA 533
Hexafluoropropylene oxide-dimer acid GenX chemicals (HFPO-DA)	C	EPA 533
Perfluorobutanesulfonic acid (PFBS)	C	EPA 533
Perfluorooctanoic acid (PFOA)	C	EPA 537.1 ver.2
Perfluorooctanesulfonic acid (PFOS)	C	EPA 537.1 ver.2
Perfluorohexanesulfonic acid (PFHxS)	C	EPA 537.1 ver.2
Perfluorononanoic acid (PFNA)	C	EPA 537.1 ver.2
Hexafluoropropylene oxide-dimer acid GenX chemicals (HFPO-DA)	C	EPA 537.1 ver.2
Perfluorobutanesulfonic acid (PFBS)	C	EPA 537.1 ver.2

1) C = Certified, N = Not Certified, P = Provisionally Certified, \* = Certification Not Requested



Christopher Ball, Ph.D., HCLD (ABB)  
Certification Authority for the State of Idaho



IDAHO DEPARTMENT OF  
HEALTH & WELFARE

Idaho Bureau of Laboratories - 2220 Old Penitentiary Road - Boise, Idaho 83712-8299  
[healthandwelfare.idaho.gov](http://healthandwelfare.idaho.gov) 208-334-2235

# State of Idaho Drinking Water Certificate

## Inorganic Analysis

**Effective Dates: 7/1/2025 - 10/31/2025**

Anatek Labs, Inc.  
1282 Alturas Drive  
Moscow, ID 83843  
EPA ID: ID00013

<u>List of Analytes</u>	<u>Status</u> <sup>1</sup>	<u>Methods</u>
<u>Disinfection Byproducts</u>		
Bromate	*	
Chlorite	*	
<u>Copper &amp; Lead</u>		
Copper	C	EPA 200.7, EPA 200.8
Lead	C	EPA 200.8
<u>Nitrate &amp; Nitrite</u>		
Nitrate	C	EPA 300.0, SM 4500-NO <sub>3</sub> -F
Nitrite	C	EPA 300.0, SM 4500-NO <sub>3</sub> -F
<u>Inorganics</u>		
Cyanide	C	EPA 335.4, SM 4500-CN-E
Fluoride	C	EPA 300.0
<u>Metals</u>		
Antimony	C	EPA 200.8
Arsenic	C	EPA 200.8
Barium	C	EPA 200.7, EPA 200.8
Beryllium	C	EPA 200.7, EPA 200.8
Cadmium	C	EPA 200.7, EPA 200.8
Chromium	C	EPA 200.7, EPA 200.8
Mercury	C	EPA 200.8
Nickel	C	EPA 200.7, EPA 200.8
Selenium	C	EPA 200.8
Sodium	C	EPA 200.7
Thallium	C	EPA 200.8
<u>Radiochemical Contaminants</u>		
Total Uranium	C	EPA 200.8
<u>Miscellaneous</u>		
Turbidity	C	EPA 180.1

1) C = Certified, N = Not Certified, P = Provisionally Certified, I = Interim Certified, \* = Certification Not Requested



Christopher Ball, Ph.D., HCLD (ABB)  
Certification Authority for the State of Idaho



IDAHO DEPARTMENT OF  
HEALTH & WELFARE

Idaho Bureau of Laboratories - 2220 Old Penitentiary Rd - Boise, Idaho 83712-8299  
[healthandwelfare.idaho.gov](http://healthandwelfare.idaho.gov) (208) 334-2235